

BERNAT® alize® EZ SPLIT HEM CABLED TUNIC



CRAFT | SKILL LEVEL: INTERMEDIATE

ABBREVIATIONS

Approx = Approximately
Rep = Repeat

Rnd(s) = Round(s)
St(s) = Stitch(es)

SIZES

To fit bust measurement

XS/S/M 28-38" [71-96.5 cm]
L/XL 40-46" [101.5-117 cm]
2/3XL 48-54" [122-137 cm]

Finished bust measurement

XS/S/M 46" [117 cm]
L/XL 54" [137 cm]
2/3XL 62" [152.5 cm]

Note: Garment fabric has limited stretch, choose size carefully.

GAUGE

5 stitches = 4" [10 cm].

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger size(s) the instructions will be written thus (). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

Cable Panel (worked over 11 sts).

1st row: With yarn in front, pull next loop from working yarn towards back through next st. *With yarn in back, skip next 2 loops of working yarn. (Pull next loop from working yarn up through next st from previous row) twice. Working in front of sts just worked, pull first skipped loop from working yarn up through next st; pull second skipped loop from working yarn up through next st – Back Cross made. Pull next loop from working yarn up through next st from previous rnd. Skip next 2 sts from previous row. Holding skipped sts at front of work, (pull next loop from working yarn up through next st) twice. Pull next loop from working yarn up through second skipped st. Pull next loop from working yarn up through second skipped st – Front Cross made. *Pull next loop from working yarn up from behind through next st. Rep

MATERIALS

Bernat® Alize® EZ Wool™ (5.3 oz/150 g; 11 yds/10 m)

Sizes	XS/S/M	L/XL	2/3XL	
Wheatberry (09002)	7	9	11	balls

4 safety pins.

BERNAT® alize® EZ SPLIT HEM CABLED TUNIC

from * across to end of row. **Do not** turn. *With yarn in front*, pull next loop from working yarn towards back through next st.

FRONT

Cut first loop of yarn close to base to create a tail approx 3" [7.5 cm] long. Count **29 (35-39) loops for foundation row.

1st row: Working from **right to left**, *with yarn in back*, twist **29th (35th-39th)** loop (last loop of foundation row) once to left. Pull **30th (36th-40th)** loop (from 'working yarn') up through **29th (35th-39th)** loop from behind to create a twisted st. **With yarn in front*, pull next loop from yarn towards back through next loop. *With yarn in back*, twist next loop once to left. Pull next loop from yarn up through twisted loop. Rep from * to end of row. **29 (35-39)** sts. **Do not** turn.

2nd row: Working from **left to right**, *with yarn in back*, twist last st from previous row once to left. Pull next loop from yarn from behind to create a twisted st. **With yarn in front*, pull next loop from yarn towards back through next st. *With yarn in back*, twist next st once to left. Pull next loop from yarn up

through twisted st. Rep from * to end of row. **Do not** turn.

3rd row: Working from **right to left**, *with yarn in back*, twist last st from previous row once to left. Pull next loop from yarn from behind to create a twisted st. **With yarn in front*, pull next loop from yarn towards back through next st. *With yarn in back*, twist next st once to left. Pull next loop from yarn up through twisted st. Rep from * to end of row. **Do not** turn.

4th row: As 2nd row.

Switch to Stocking Stitch

5th row: Working from **right to left**, pull next loop from yarn up from behind through last st worked on previous row. **Pull next loop from yarn up from behind through next st.* Rep from * to end of row. **Do not** turn.

6th row: Working from **left to right**, pull next loop from yarn up from behind through last st worked on previous row. **Pull next loop from yarn up from behind through next st.* Rep from * to end of row. **Do not** turn.**

Do not bind off. Cut thread at base of next 2 loops of working yarn to create a yarn "tail". Weave in tail.

BACK

Work from ** to ** as given for Front.

Rep 5th and 6th rows twice more, then rep 5th row once more.

Join Front and Back into round: Place Front and Back on a flat surface, with Front on left side of Back.

Working across Front sts from **right to left**, pull next loop from yarn up from behind through last st worked on Front. (Pull next loop from yarn up from behind through next st of Front) **9 (12-14)** times. Work Cable Panel over next 11 sts. Pull next loop from yarn up from behind through next st of Front. Continue in this manner until all sts of Front have been worked.

Note: Body is worked clockwise in the rnd from here forward.

Next rnd: Working from **right to left**, pull first loop from yarn up through first st of Back. Pull next loop from yarn up through next st. Continue in this manner until you have worked **38 (47-53)** sts. Work Cable Panel over next 11 sts. Pull next loop from yarn up through next st. Continue in this manner until you have worked all sts in

rnd, working in a continuous loop around Front and Back.

Cable Panel is now in place.

Rep last rnd, keeping continuity of Cable Panel, until work from bottom edge of Front measures 20" [51 cm].

Divide for armholes: Place a safety pin between first and last sts of rnd. Place another safety pin between **29th (35th-39th)** and **30th (36th-40th)** sts of rnd.

Working from right to left, pull **3rd (4th-5th)** st to left of first safety pin over next st to bind off. Bind off next **3 (5-7)** sts in this manner. Remove safety pin.

Rep this on opposite side of Body. **50 (58-62)** sts remain. Leave these sts until Sleeves are complete.

SLEEVES (make 2)

Cut first loop of yarn close to base to create a tail approx 3" [7.5 cm] long. Count **12 (14-16)** loops for foundation rnd. Tie tail to yarn between **12th (14th-16th)** and **13th (15th-17th)** loops to create ring. Place ring on a flat surface with all loops pointing out to avoid twisting ring. **12 (14-16)** sts in rnd.

BERNAT® alize® EZ SPLIT HEM CABLED TUNIC

1st rnd: *With yarn in back*, twist next loop once to left. Pull **13th (15th-17th)** loop from working yarn up through twisted loop. *With yarn in front*, pull next loop from working yarn towards back through next loop. **With yarn in back*, twist next loop once to left. Pull next loop from yarn up through twisted loop. *With yarn in front*, pull next loop from yarn towards back through next loop. Rep from * around.

2nd rnd: **With yarn in back*, twist next loop once to left. Pull next loop from yarn up through twisted st. *With yarn in front*, pull next loop from yarn towards back through next st. Rep from * around.

3rd rnd: Pull first loop from yarn up through first st of rnd. Pull next loop from yarn up through next st of rnd. Continue in this manner to end of rnd.

4th rnd: Pull first 2 loops from yarn up through first st (increase made). *Pull next loop from yarn up through next st. Rep from * to last st. Pull next 2 loops from yarn up through last st (increase made). 2 sts increased. **14 (16-18)** sts at end of rnd.

Sizes XS/S/M and L/XL only:


Rep 3rd and 4th rnds **4 (5)** times more. **22 (26)** sts in rnd.

Work **5 (2)** rnds even (as 3rd rnd.)

Size 2/3XL only: Rep 4th rnd 6 times more, then rep 3rd rnd once. 30 sts in round.


All sizes: Place a safety pin between first and last sts of rnd. Working from right to left, pull **2nd (3rd-4th)** st to left of safety pin over next st to bind off. Bind off next **3 (5-7)** sts in this manner. Remove safety pin. **18 (20-24)** sts remain.

Cut thread at base of next 2 loops of working yarn to create a yarn "tail". **Do not** weave in ends (will be used in next step for seaming.)



Joining Sleeves and Body

Using yarn tails remaining from sleeves, use tapestry needle to seam one sleeve to each side of body **along bound off sections only**. Place a safety pin between each transition between sleeve and body (see diagram). Place sweater on a flat surface, with all live sts facing up. **86 (98-110)** sts in rnd. 4 safety pins in position which will move up every rnd.



BERNAT® alize® EZ SPLIT HEM CABLED TUNIC

1st rnd: Beginning with first st of Left Sleeve, pull first loop from yarn up through first st of rnd. Pull next loop from yarn up through next st of rnd. Continue in this manner to end of rnd, keeping continuity of Cable Panel on Front of Sweater.

2nd rnd: Place next loop of rnd behind following loop creating a double loop – treat this double loop as 1 st. Pull next loop from yarn up through double st – right leaning decrease made. *Work sts as usual until 2 sts before next safety pin. Hold next loop on top of following loop creating a double loop – treat this double loop as 1 st. Pull next loop from yarn up through double loop – left leaning decrease made. Make one right leaning decrease. Rep from * twice more, keeping continuity of Cable Panel on Front of Sweater, then work sts as usual until 2 sts before next safety pin. Make one left leaning decrease. 8 sts decreased. **78 (90-102)** sts remain.

Rep 2nd rnd **6 (7-9)** times more. **30 (34-30)** sts remain.



Size L/XL only: Next rnd: *Work sts as usual until next safety pin. Make one right leaning decrease. Work sts as usual until 2 sts before next safety pin. Make one left leaning decrease. Rep from * once more. 4 sts decreased. 30 sts remain.

Collar: Proceed in rib pattern as follows:

1st rnd: *With yarn in back, twist next st once to left. Pull next loop from yarn up through twisted st. With yarn in front, pull next loop from yarn towards back through next st. Rep from * around. Rep last rnd 5 times more.

Bind off rnd: Pull 2nd st through 1st st. Pull 3rd st through 2nd st. Pull 4th st through 3rd st. Continue in this manner to end of rnd. Cut last loop to create yarn 'tail'. Tie to secure and weave in ends.

Cutting Yarn Loops



Front



Back

