

CARON®

TWEEDY CROCHET PULLOVER

CAC0129-029538M | August 17, 2020



MATERIALS							
Sizes	XS/S	M	L	XL	2/3XL	4/5XL	
Caron® Simply Soft® Tweeds™ (5 oz/141 g; 240 yds/219 m)							
Main Color (MC)							
Off White Tweeds (23001)	8	9	10	11	13	15	balls
Caron® Simply Soft® (6 oz/170.1 g; 315 yds/288 m)							
Contrast A Gold (9782)	1	1	1	1	1	1	ball
Contrast B							
Chocolate (9750)	1	1	1	1	1	1	ball
Sizes U.S. 7 (4.5 mm) and U.S. I/9 (5.5 mm) crochet hooks or size needed to obtain gauge. Tapestry needle.							





ABBREVIATIONS

Approx = Approximately

Beg = Beginning

Ch = Chain(s)

Hdc = Half double crochet

Hdc2tog = Yoh and draw up a loop in each of next 2 stitches. Yoh and draw through all loops on hook.

Inc = Increase(ing)

Pat = Pattern

Rem = Remain(ing)

Rep = Repeat

RS = Right side

Sc = Single crochet

Sc2tog = Draw up a loop in each of next 2 stitches. Yoh and draw through all loops on hook.

SI st = Slip stitch

St(s) = Stitch(es)

Trfp = (Yoh) twice and draw up a loop around post of next stitch 2 rows below, at front of work, inserting hook from right to left. (Yoh and draw through 2 loops on hook) 3 times.

Yoh = Yarn over hook

WS = Wrong side

SIZES

To fit bust measurement

XS/S	28-34"	[71-86.5 cm]
M	36-38"	[91.5-96.5 cm]
L	40-42"	[101.5-106.5 cm]
XL	44-46"	[112-117 cm]
2/3XL	48-54"	[122-137 cm]
4/5XL	56-62"	[142-157.5 cm]

Finished bust

XS/S	43" [109 cm]
M	46" [117 cm]
L	50" [127 cm]
XL	54" [137 cm]
2/3XL	58" [147 cm]
4/5XL	64" [162.5 cm

GAUGE

14 sts and 13 rows = 4" [10 cm] in Ridge Pat with larger hook.



CARON° TWEEDY CROCHET PULLOVER

CAC0129-029538M | August 17, 2020

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger size(s) the instructions will be written thus (). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

Note: Back is 4" longer than Front. Ch 2 at beg of rows **does not** count as hdc.

BACK

**With larger hook and MC, ch 77 (83-89-97-103-115).

1st row: (WS). 1 hdc in 3rd ch from hook. 1 hdc in each ch to end of ch. Turn. 75 (81-87-95-101-113) hdc. 2nd row: Ch 2. 1 hdc in first hdc. *Trfp around post of next hdc. 1 hdc in next hdc. Rep from * to

3rd row: Ch 1. 1 sc in each st to end of row. Turn.

end of row. Turn.

4th row: Ch 2. 1 hdc in first sc. *Trfp around post of next trfp 2 rows below. 1 hdc in next sc. Rep from * to end of row. Turn.**

Rep 3rd and 4th rows for Ridge Pat until work from beg measures 28 (28-29-29-30-30)" [71 (71-73.5-73.5-76-76) cm], ending on a WS row.

Shape shoulders: Next row: (RS). SI st in each of first 8 (8-10-10-12-14) sts. Ch 2. 1 hdc in next st. Pat to last 8 (8-10-10-12-14) sts. Turn. Leave rem sts unworked.

Next row: SI st in each of first 8 (8-10-10-12-14) sts. Ch 1. 1 sc in next st. 1 sc in each st to last 8 (8-10-10-12-14) sts. Turn. Leave rem sts unworked.

Next row: SI st in each of first **8** (10-8-12-10-12) sts. Ch 2. 1 hdc in next st. Pat to last **8** (10-8-12-10-12) sts. **Turn.** Leave rem sts unworked.

Next row: Ch 1. 1 sc in each st to end of row. Fasten off. 27 (29-31-31-33-33) sts rem at Back neck.

FRONT

Work from ** to ** as given for Back.

Rep 3rd and 4th rows for Ridge Pat until work from beg measures 22 (22-23-23-24-24)" [56 (56-58-58-61-61) cm], ending on a WS row.

Shape neck: Right Neck: 1st row: (RS). Ch 2. Pat across 28 (30-32-36-38-44) sts (neck edge). Turn. Leave rem sts unworked.

2nd row: Ch 1. Sc2tog. 1 sc in each st to end of row. Turn.

3rd row: Ch 2. Pat to last 2 sts. Hdc2tog. Turn.

4th and 5th rows: Rep last 2 rows once more. **24** (**26-28-32-34-40**) sts rem.

6th row: Ch 1. 1 sc in each st to end of row. Turn.

(Note: Total length of Back is 4" [10 cm] longer than Front.)

Shape shoulder: Next row: (RS). SI st in each of first 8 (8-10-10-12-14) sts. Ch 2. 1 hdc in next st. Pat to end of row. Turn.

Next row: Ch 1. 1 sc in each st to last 8 (8-10-10-12-14) sts. Turn. Leave rem sts unworked.

Next row: Ch 2. Pat to end of row. Fasten off.

Left Neck: 1st row: (RS). Skip center 19 (21-23-23-25-25) sts. Join MC to next st with sl st. Ch 2. 1 trfp around same st. Pat to end of row. Turn.

2nd row: Ch 1. Pat to last 2 sts. Sc2tog. Turn.

3rd row: Ch 2. Hdc2tog. Pat to end of row. Turn.

4th and 5th rows: Rep last 2 rows once more. **24** (**26-28-32-34-40**) sts rem.

6th row: Ch 1. 1 sc in each st to end of row. Turn.

Shape shoulder: Next row: Ch 2. Pat to last 8 (8-10-10-12-14) sts. Turn. Leave rem sts unworked. Next row: SI st in each of first 8 (8-10-10-12-14) sts. Ch 1. 1 sc in each st to end of row. Turn.

Next row: Ch 2. Pat to end of row. Fasten off.

SLEEVES

Sleeve Stripe Pat

With A work 6 rows in Ridge Pat. With B work 6 rows in Ridge Pat. These 12 rows complete Sleeve Stripe Pat.

Cuff: With smaller hook and MC, ch 19.

1st row: 1 sc in 2nd ch from hook. 1 sc in each ch to end of ch. Turn. 18 sc.

2nd row: Ch 1. Working in back loops only, 1 sc in each sc to end of row. Turn.



CARON® TWEEDY CROCHET PULLOVER

CAC0129-029538M | August 17, 2020

Rep last row until ribbing (when slightly stretched) measures 7 (7-8-8-9-9)" [18 (18-20.5-20.5-23-23) cml. **Do not** fasten off. **Do not** turn.

Change to larger hook and proceed as follows:

1st row: (WS). Ch 2. Work 55 (55- Sew left shoulder seam. **59-59-63-63**) hdc evenly across long edge of ribbing. Turn.

row. Turn.

of row. Turn.

4th row: Ch 2. 1 hdc in first sc. *Trfp around post of next trfp 2 rows below. 1 hdc in next sc. Rep from * to end of row. Turn.

Rep 3rd and 4th rows for Ridge Pat twice more.

Join A and work 12 rows of Sleeve Stripe Pat, AT SAME TIME, proceed as follows:

Shape sides: Next row: (Inc row). Ch 1, 2 sc in first st. Pat to last st. 2 sc in last st. Turn.

Work 7 rows in pat, taking inc sts * to end of row. Turn. into pat.

63 (63-67-67-71-71) sts.

Cont even in pat until work from beg (including cuff) measures 18 (18-17-17-16-16)" [45.5 (45.5-43-43-40.5-40.5) cm], ending on a WS row. Fasten off.

FINISHING

Collar: 1st row: (RS). Join MC with sl st to first of 27 (29-31-**2nd row:** Ch 2. 1 hdc in first hdc. **31-33-33**) sts rem at Back neck. *Trfp around post of next hdc. 1 hdc Ch 2. Pat across these **27** (29-31in next hdc. Rep from * to end of 31-33-33) sts. Work 9 hdc down Left Front neck edge. Pat across **3rd row:** Ch 1. 1 sc in each st to end **19** (21-23-23-25-25) sts at center Front neck. Work 10 hdc up Right Front neck edge. Turn. 65 (69-73-73-77-77) sts.

> 2nd row: Ch 1. 1 sc in each st to end of row. Turn.

> 3rd row: Ch 2. 1 hdc in first sc. *Trfp around post of next trfp or hdc 2 rows below. 1 hdc in next sc. Rep from * to end of row. Turn.

4th row: Ch 1.1 sc in each st to end of row. Turn.

5th row: Ch 2. 1 hdc in first sc. *Trfp around post of next trfp 2 rows below. 1 hdc in next sc. Rep from

Rep last 2 rows until Collar Rep last 8 rows 3 times more. measures 9" [23 cm], ending on WS row. Fasten off.

Sew right shoulder seam and Collar seam. Turn Collar in half to WS and sew loosely in position.

Place markers on Front and Back side edges 9 (9-9³/₄-9³/₄-10¹/₄-10¹/₄)" [23 (23-25-25-26-26) cm] down from shoulder seams. Sew in sleeves between markers

Place markers on sides of Back 7" [18 cm] from lower edge. Place markers on sides of Front 3" [18 cm] from lower edge. Sew sleeve and side seams to markers, leaving open below markers for side slits.



